

## BACKGROUND OF THE INVENTION

The paddle/blade invented and developed for the use of moving and stopping, is known to be constructed out of various types of woods, plastics, metals and a combination thereof. This useful creation over time became the foundation of some of the most popular products we've used across the country and world today. This single item the "paddle/blade" used in a set of two or more, created simple and wonderful products for us overall. The paddle/blade invention market over time became beneficial to persons and the worlds economy for instance; "The Wingspread" set in a formations to bring us all types of household fans, namely the "Ceiling Fan". The fan also gave us the ability to heat up, exhaust, and expel foul odors and poisonous gases, fumes and toxins, allowing us to breathe and move freely. The wingspread also helped mankind to create beautiful things such as; "The Windmill" "The Outboard Motor" "The Rudders" "The Propellers" and now generically "Ceiling Fan Cover".

All the above items have been affected by the elements surrounding us. Designers and alike have developed covers and cases to protect, store, provide safety and preserve beauty. Many mistakes and errors had been made in the prior year before their success. History has shown and proven itself in this area also to wit; too bulky, too tight, too heavy, no substantial purpose, useless, too expensive, worthless, too lame, too many gimmicks, failures, construction too difficult, too precise, not precise enough, stupid, lacking logic, hazards and simply money makers. There can only one perfect cover, one that fits and works with successful results, having "no negative cause and affect", scenarios, results or situation, having a steps/claims better than the prior arts. Normally the covers found in the above paragraphs, are the ones which can not be afforded or found on the market, there certainly are reasons why.

Covers are the main devices used in prevention and beauty. They have to provided protection in all, especially in the area of a consumers. This invention, happens to be one of them, providing no potential harm or hazards. This cover is safe, one which will bring about harmony with the paddle/blades/entire fan and room, love of beauty, peace of mind, happiness in spirit, conversation, security and pleasure. Covers are perfect for everything they simply need to "fit just right" and not provided as a oddity or a gimmick which is shown or proven to be useless, troubling, thought provoking, too complex, weird, unfamiliar, the wrong size "too big, too small" or simply a refundable item. The best covers have to be easy, non-taxing, lightweight for indoor use and heavy for outdoor use, categorized correctly, flexible but not flimsy, practical and not useless, quick, fast, simple, without fasteners and sealants or glues. A cover is design to cover that, that a individual can see and elements can attack. This invention has satisfied all these areas and provided a lot more indirectly. This invention shows the most improvements in this field. In comparison and consideration to the prior art in this field, this "Ceiling Fan Cover is the "lightest", using the least amount of fabric and the "lightest" form of fabric/thread on the market, without sacrificing beauty. Percale cotton, durable, stylish, cost effective and not over priced. Most tolerant, absorbent to flame retardant chemicals, great for receiving

dyes, and "glow in the dark matter". Lightweight, immeasurable in beauty and adaptability, cooperative with other fabric's and demonstrating the least amount of resistant and failures.

The "Ceiling Fan" a popular item found everywhere began in the in the 1800 hundreds. A well know company know as "Emerson Electric's", has been leading this field and doing so for more than 100 years producing as many as 3 billion. This appliance can be purchased in a price range of \$12.00 to over \$600.00. Successful as this product has been in the retail market, their has been draw backs, frustrations and injuries.

This invention has a remarkable application time and reproduction time. Two minutes to reproduce and five seconds to apply to the paddle/blade, this was necessary to reduce the "window" opened for injuries while applying and manufacturing. Ceiling fans moving easily, the fastest way to apply a cover, is normally the pull on/ pull off and "forget about it" enjoy. This invention demonstrates and possesses this quality, to decrease injury and hardships. Ceilings fans are fragile, and need a light, easy hand when attending to the cleansing and covering of them. Ceiling fans are balance perfectly, set at a deg to distribute the air evenly, efficiently and quickly without drag.

Some of the properties in this fan cover is as follows; a weight so perfect, it does not create a drag notable to the eye and to the physic of the fan. A cover so tight, light and well built that it is unnoticeable as a cover. A cover so light it will not induce a imbalance in it's application. A cover so conservative in it's fashion and design, accomplishing the goals of a cover and still achieving a low cost, which stands at a production cost of under \$1.00 and distribution cost as low as \$ 5.00. A cover so intelligent and perfect, it will work, not alone, along side, but with the ceiling fan and in cooperation as not to disturb the mechanics of the fan nor the longevity or guarantee/warranty. Prior art/covers invented in this field of endeavor can not speak of this honesty. Prior art in this field was also duplicated to bring forth a demonstration as to their effectiveness.

The findings are in the areas of weight, materials, beauty, longevity, adaptability, elasticity, affordability, speed, manufacturing, safety, effectiveness and appeal were looked at. The prior art was found to be too heavy, which decreased the speed, added drag, create friction, created wear on the motor parts and in the long term destroy the ceiling fan, overall they were looked upon as too risky.

A statements derived by a great thinker holds true in this field of endeavors" LESS IS MORE " meaning in this area "the least amount placed on a ceiling fan, the more productivity you will receive out of the fan!", avoiding injury to the product and to the producers of the ceiling fan cover "industry", which will evolve based upon the success and the avoidance of failures and recalls! "MORE IS LESS" meaning in this area "the more weight you place on a moving object such as the said type of fan, the slower it becomes", producing in this area a lost in the ceiling fans productivity, therefore a lost in this area all together.

These breeze giving gifts and decorating potentials are found everywhere. The background of this invention is important, along with the industry it's pertains too. Ceiling fans paddles/blades are in the billions. This cover eliminates the replacement cost which can range in the area of \$63.00 to \$104.00.

A search in the area of ceiling fans found them to be in the following places, to wit; homes / cottages / bars / apartments nursing homes / schools / businesses / offices /

[illegible]

## SUMMARY OF THE INVENTION

In reference to this newly improved ceiling fan cover. Measures added and performed, safety, logic and reasoning up graded to create the best cover household ceiling fans operating in American homes/offices/businesses. These attempts have been successful and less costly then the former/previous introduced. Improvements have been made in all areas. Area's of concern and improvement are as follows; 1. Lowering cost to production and public 2. Safety to persons and ceiling fans while in motion/operation 3. Closures eliminated 4. Appeal to a broad/diversified audience concerning manufacturing methods 5. Speed when applying and retracting ref. to paddle/blade 6. Weight reduction made suitable 7. Omitted adjustments application onto paddle/blade 8. Heighten concept with wisdom 9. Omitted gimmicks to indications/signage 10. Simplifying manufacturing 11. Reconstructed a design suitable to all fans and their purpose 12. Utility with to a simple understanding 13. Wholesale and Marketing price made practicability. 14. Shorten lobbyist time 15. Reduced all logistic 16. Shorten scope 17. Speeding up manufacturing time 18. Creating an appealing product overall.

With these new improvements, you will see more benefits throughout the covers performance as it is place, covering, removed and reapplied, are no additions. The lowering of cost and the subtraction many unnecessary steps/processes/directions in reference to the use of natural and synthetic of materials to make this cover. This cover is more affordable and easier to apply and remove over and over again, in comparison to the previous covers. Covering the ceiling fan paddles/blades with ease is the pinnacle scope of any cover devised. And the main thrust of every patentable ideal, creation, discovery or invention brought forth, ease should be the premiere scope and number one ingredient. This cover was designed with a no non-sense approach for mass reproduction. Logic and consideration in packaging was of one the main concerns, this applies to the (liability concerns) weight of each cover, understanding compliances with storage space, purchasing, distribution in a bulk fashion, and sales and profitable margin.

In reference to the operation and closing methods in the previous patent's, you will not find those methods in this cover, these measures/steps/claims/instruments have all been eliminated thus refining cover to a quicker, less pain staking, no brainier, fun to have around the house/office/business item. These are the differences which elevates and separates this invention from the previous inventions, along with establishing itself as a independence functioning article which is strong, easy to handle and longer lasting (having no attached or replacement parts) such as; things/ends to tightening, pulling, snapping, hooking, pass through strings belonging to a sewn in passage, special cut-out pieces to button, stretch/scratch/scrap or whole synthetics material design especially developed for odd shape nouns (polyester blends/polyester/spandex) to fit snug any oddly shape noun (note, this material is limited to fashions, colors, styles, toughness, heat drying, extended pulling, dispensing old oil that has gathered debris during it's operation) the cover to fit, Velcro connecting to close or taper for a perfect fit, additional or unique sizing cutting before sewing, folding, venting, liners, using a stretch material, open ended flaps, material wastefully used on both side of the paddle/blade to protect both sides, even

in places where there is no dust or little dust, oil, grease, grime, aging and anything else to be disguised, hidden, masked, and so called protected. This improved cover is simply made of two types of materials, 1.) a light weight piece of cotton with a creative design or simply a solid shade, cut oblong accordantly ( $\frac{5}{8}$  in. beyond the edge of the paddle/blade) using (preferably percale cotton, a lightweight fabric, excellent because of the low to moderate thread count, durable for washing many times over, machine drying and low temp. ironing or no ironing required) 2.) and a  $\frac{1}{4}$  in. to 1 in. wide elastic for the sides which is  $\frac{2}{3}$  the length around the cover, which is feasible, to the actual inch for inch around the cover, which would be considered as the entire circumference (\*note, the margin within this space can be used in the form of variations, the scope of the action remains consistent throughout the areas in design and utility) and one to five straps of the same width (\*note, the margin within this space can be used in the forms of vibrations, the scope of the action remains consistent throughout the areas in this design and utility.)  $\frac{1}{4}$  in. to 1 in. wide elastic 3 in. to 4 in. long on the back spaced evenly, (\*note, the margin within this space can be used in the forms of variations, the scope of the action remains consistent throughout the areas of design and utility). These materials used in this invention can be found easily all over the world, to wit; the under garments you are probably wearing can be used to make one. Intentionally borrowed or fraudulent claims will be not found in the construction and/or making of this cover. There are no openings at either end and, there are no consequences with the usage of this cover on a ceiling fan paddle/blade.

"Less is more", are comments in which can be seen. Some steps and measures used in the prior arts where totally unnecessary to cover this object and did not need to be incorporated, by the former inventors. Success in the covering of this object means that "no" malfunctions, or anything that would take away from or reduce, hamper, or give way to the deterioration of the operation of this product, indeed this is not the case in reference to the prior arts. The assumption take in reference to the prior art in this field is as follows; "these ideals were merely designs to try or complete, imparting no merit. The attempt was to find steps to secure the cover to the paddles/blades" Without a doubt this task was accomplished however, the addition of more is best created a cover with materials or objects that served no true purpose. Most of the prior art in this field can be look upon as a bit too extreme, too eccentric. These covers possess weight and weight is not what is perfect or needed to cover this particular article or invention to wit, "ceiling fan" Some of these patent holders in actuality defeated themselves by being too generous and thoughtful in the wrong areas. During this process too much was considered and incorporated. By merely doing that, safety was ignored. To cover the ceiling fan entirely, one has to consider the paddles/blades in a wingspread or as a set, it is apparently this was not done. A combination of covers 3/4/5/6 and at times 7 to make a set, should bring about a question in a persons or companies mind, " this cover times 3/4/5/6 or 7", now I wonder, is this too much for the fans motor to handle long term?, the answer would apparently would have changed the design. Simply one cover weighing in at 2 ounces would apply 6/8/10/12 and at times 14 total ounces. In conclusion these covers provides too much weight. In comparison to the cover before you, cover weighs a mere  $\frac{1}{2}$  ounce and multiplied by 3/4/5/6/ and 7 will give a total weight of 1 and  $\frac{1}{2}$ , 2, 2  $\frac{1}{2}$ , 3, and at times 3 and  $\frac{1}{2}$  ounces. This cover becomes apart of the ceiling fan more so than any other cover

patented. This cover before you will be the least of all the covers, coming in at under one ounce, including elastic straps placed on the back to add additional comfort for every consumer, straps to reach bring a sigh of relief to persons who doubt or worry conditionally. This cover has options and pose a versatility to owners, manufactures and retailers, and still holding the title of weighing less than one ounce. This cover loses nothing by being so light weight. Some of the attributes afforded are; performs top notch, more than sufficiently and provides all the necessary needs to cover, heightens, look good, look better, and look great. This cover fits wonderfully, pulls on and off great, and the list goes on and on and on.

Other thoughts are brought to mind, as a object such as a ceiling fan, noting some of the prior art in this field indirectly creates unintentional drag, introducing another problem which maybe discovered in the long term; to wit. the early burning out of the fans motor parts. This 1/8 in. thick paddle/blade attached to a small motor cannot with stand the rigors of too much weight, even presented in ounces. I found in experimentation, there is a measure in which an object can be placed on a paddle/blade, a small "window" in which weigh such as dust, debris, dirt and much more can not burden the operation in the short or long term. This cover merely brings attention to the need to maintain the cleanliness of the paddle/blades etc. Bringing attention to the entire fan will be helpful in the fans long term, reference it's operation. This cover in turn aids. The particles attacking the fan paddle/blades are gathered, cling to the cloth, and then the cloth is removed for cleaning. In most cases, persons liking and loving this invention will be able to purchase many and many favorites. The dust can hide the beauty of the cloth and persons who never or hardly ever spent time cleaning their paddles/blades will indirectly do so, actually serving their fan every time by serving and maintaining the look of the cloth, one provides for the other. In many cases a combine total of 2.5 to 5 whole ounces only can attache itself to the paddle/blade, this can happened and has happen with dust, oils, dirt and a combination thereof, weight is weight! Another property of this was found, this covers functions without inferring with the fans operation, paddles/blades deg. and balance; (base upon this finding, I reserve the right to the "weight properties" necessary to not interrupt or interfere and the variable space provided, according to the spec. of the manufactured fan. This new design is far more easier, lighter in weight, and cheaper to make piece by piece or in a bulk fashion. All methods used in the making of this cover are standards used in creating, recreating or the making of a article using fabric or synthetic material. These standards are not to be disregarded, theses are measures well thought out and are sensible in the designing and using fabric. Sewing classes, fabric stores, sewing circles, sewing books and magazines, are methods where knowledge can be found in reference to the standards of basic sewing. Sewing professionals instruct, teach and cover only what is necessary to saves time, money, thoughts, mistakes, waste and destruction. Covering a four dimensional item in this fashion which provides only a 3 dimensional view is the most practical, logical, cost effective, feasible and juvenile. In some ways the juvenile approach is best. This method can be cost effective and can solve problems and gives ways to solution. This cover is so simple, that a foolish person or a child could figure it out and describe it and apply it to a common household ceiling fan. Non-operating fans which are in some cases too expensive to remove and to have replaced, this cover will serve as blanket solution. A cover to capture the beauty in something that is of no more use, but is



## BRIEF DESCRIPTION OF THE DRAWING

Fig 1. is perspective view of the top side of a completed cloth ceiling fan cover, oblong shaped and smooth in appearance, which is installed by the means of pulling on and removed by the means of pulling off.

Fig 2. is perspective view of the backside of fig 1. to wit: a oblong shape cloth with a thin elastic band, respectively a ceiling fan cover; and a view of a thin elastic band attached to the cloths circumference, which creates a seam in the covers design; and a view showing a seam which is located at the inventions most narrow end demonstrating a closure of the circumference thin elastic band; and a view of one thin vertical strap, two small horizontal seams, one located at each end of the preferred band; whereby each seam connects to the circumference outer edge and presents closure, to wit; one thin vertical strap positioned in the middle of the oblong cover, to wit; the completion.

Fig 1. is perspective view of the top side of a completed cloth ceiling fan cover, oblong shaped and smooth in appearance, which is installed by the means of pulling on and removed by the means of pulling off.



## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

In reference to the inventions detail description of the preferred embodiment it is as follows;

Referring now to the drawings, Fig 1. shows a oblong shaped design referred to as a cover 10. The cover 12. has a main body comprised from a flexible lightweight percale fabric 12. whereas the maximum volume of fabric used 12. does not surpass 1 ounce after it's construction into the cover 10. possessing no outer seams in the cover 10. or fabric 12., no matter the size of the ceiling fan paddle/blade. In the preferred embodiment 10. percale cotton is the preferred fabric 12. and an elastic circumference which is sewn onto the percale cotton ( not shown ) which allows it's oblong shape to adapt or conform to any shape of paddle/blade withstanding round, beveled, square, cathedral or wood, plastic heavy cardboard, metal or any combination thereof to wit; any formations or deviations within or out of the scope of these named shapes, not to exclude damages, normal wear and tear, erosions, eruptions, fractures, cravings or designs intentional or unintentional. Not shown however demonstrated is operation of this item, the 1/4 inch strap provided which heightens the appearance of the cover 10. increasing the cover's 10. value, beauty, flat, flush, perfect fit and smooth look.

Referring now to the drawing fig 2., the reverse of fig 1. which shows a oblong cover 10. which is comprise of preferred fabric to wit; percale cotton 12. in which any designer blends because of the fabrics 12. versatility in design, color and pattern. This fabric 12. used as the tool to release expression of the main embodiment 10., conform to any focal or reference point in an area or room of his or her liking or taste. This cover 10. made from a preferred fabric 12. is bind together by sewing the elastic 22. over top of the percale cotton 12. circumference 24. The thin elastic band 1/4 inches in width 22. cut to a margin 24. or between 2/3 inches to 3/4 inches of the entire outer circumference, the margin 24., the elastic band 22. is sewn to the circumference 24., to join the percale cotton circumference 24. and the elastic circumference band 22. permanently.

The cover 10. has a seam line 18. which is present at the base of the cover 14. is described as the narrow end. This closed seam 18. is a heavy bar tack stitch which allows the fabric 12. and the elastic band 22. to maintain a sealed position, the completion of the elastic and the finishing of the adjoining between the two materials in their conclusion form a seam 18. needing no other apparatus passing through, to handle or loose article to thread, apply, attache, remember, incorporate or assemble. The combination of two simplistic and easy to find inexpensive products such as percale cotton 12. and elastic 22. together, but at a conservative measure. The preferred materials 12., makes this invention the lightest of all the previous art and the simplest, in which a cover 10. can be made in 2 minutes., from start to completion, filling the criteria in this section describe as a " any person of ordinary skill in pertinent art etc." The selection of these materials for this invention creates a cover 10. this caliber of cover 10. which is brilliant, logical, honest and conforms to the scope, holding fast within the objective, which is to cover the object in the most practical,

[illegible]

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	